





REV.	ECN NO.	CONTENT	DATE	ENGINEER
A0		Initial release	/	TSP

技术指标:

- 塑件表面应光洁、无毛边、无明显收缩、缺陷、裂纹等现象。
- 温度范围: $-25^{\circ}\text{C} \sim +85^{\circ}\text{C}$ 。
- 额定电压: 50V, AC。
- 接触电阻: $\leq 20\text{m}\Omega$ (Initial) per contact, $\leq 40\text{m}\Omega$ Change allowed.
- 绝缘电阻: $\geq 100\text{M}\Omega$ 。



SECTION A-A



适用线路板

CKT	DIM A	DIM B	DIM C	DIM D	DIM E
2*3	2.00	3.50	4.40	6.10	5.30
2*4	3.00	4.50	5.40	7.10	6.30
2*5	4.00	5.50	6.40	8.10	7.30
2*6	5.00	6.50	7.40	9.10	8.30
2*7	6.00	7.50	8.40	10.10	9.30
2*8	7.00	8.50	9.40	11.10	10.30
2*9	8.00	9.50	10.40	12.10	11.30
2*10	9.00	10.50	11.40	13.10	12.30
2*11	10.00	11.50	12.40	14.10	13.30
2*12	11.00	12.50	13.40	15.10	14.30
2*15	14.00	15.50	16.40	18.10	17.30
2*20	19.00	20.50	21.40	23.10	22.30
2*25	24.00	25.50	26.40	28.10	27.30

序号	品名	材质
①	1.0B型双排卧式左端子	铜合金/表面镀锡
②	1.0B型双排卧式右端子	铜合金/表面镀锡
③	1.0B型双排卧式WTB焊片	铜合金/表面镀锡
④	1.0B型双排卧式胶芯	PA6T UL94V-0 米黄色

THIS DOCUMENT IS THE
SOLE PROPERTY OF
BBJconn Technology Co.,Ltd.
Corporation AND SHOULD
NOT BE USED IN WHOLE
OR IN PART WITHOUT
PRIOR WRITTEN PERMISSION.
PDWG.NO: 0456-1



深圳市步步精科技有限公司

.X: ±0.38 .X': ±3'
.XX: ±0.25 .X': ±2'
.XXX: ±0.13 .XX': ±1'

NAME: 针座 1.0-2x10P B型 双排
卧贴 不带扣 米黄色 编带

APPD. JM_Zheng


PJ. NO.: 123-241-200003-X3G

CHKD. LYX





SIZE: A4 DRW NO.:

DR. TSP

FINISH: SEE NOTES MAT'L.: SEE NOTES
SCALE: N/A REV.: A0 UNIT: mm PAGE: 1/3



THIS DOCUMENT IS THE SOLE PROPERTY OF BBJconn Technology Co., Ltd. Corporation AND SHOULD NOT BE USED IN WHOLE OR IN PART WITHOUT PRIOR WRITTEN PERMISSION.		 深圳市步步精科技有限公司		NAME: 针座 1.0-2x10P B型 双排 卧贴 不带扣 米黄色 编带	
.X: ±0.38 .XX: ±0.25 .XXX: ±0.13		X': ±3" X'': ±2" XX': ±1"		APPD. JM_Zheng CHKD. LYX	
PDWG.NO: 0456-1		DR. TSP		PJ. NO.: 123-241-200003-X3G SIZE: A4 DRW NO.:	
				FINISH: SEE NOTES SCALE: N/A REV.: A0	
				MAT'L.: SEE NOTES UNIT: mm PAGE: 2/3	



备注:

1. 包装数量: 1000/PCS/卷, 10卷/箱
2. 包装袋长度: 每卷前后各空10-20个空格, 中间包装。
3. 材质:
载体: 聚丙烯 (PS),
上带: 聚乙烯 (PET),
卷盘: 聚苯乙烯。

纸箱规格: 345*345*23MM

纸箱规格: 345*345*35MM

THIS DOCUMENT IS THE SOLE PROPERTY OF BBJconn Technology Co.,Ltd. Corporation AND SHOULD NOT BE USED IN WHOLE OR IN PART WITHOUT PRIOR WRITTEN PERMISSION.		深圳市步步精科技有限公司	
.X: ±0.38 .XX: ±0.25 .XXX: ±0.13	X*: ±3" .X*: ±2" .XX*: ±1"	NAME: 针座 1.0-2x10P B型 双排 卧贴 不带扣 米黄色 编带	
APPD.	JM_Zheng	PJ. NO.: 123-241-200003-X3G	
CHKD.	LYX	SIZE: A4 DRW NO.:	
PDWG.NO:	0456-1	DR.	TSP
FINISH: SEE NOTES		MAT'L.: SEE NOTES	
SCALE: N/A		REV.: A0	UNIT: mm
		PAGE: 3/3	